

From: Richard Rupert/R3/USEPA/US
Sent: 1/6/2012 1:41:38 PM

To: "Robert Helverson" <Helverson.Robert@epamail.epa.gov>
CC: "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>; "Lora Werner" <Werner.Lora@epamail.epa.gov>
Subject: Re: Dimock sp bull

I added two additional 300 415 elements, water sampling in order to provide necessary info to design water treatment systems and made a couple minor edits.

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov

From: Robert Helverson/R3/USEPA/US
To: "Lora Werner" <Werner.Lora@epamail.epa.gov>, "Richard Rupert" <Rupert.Richard@epamail.epa.gov>, "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>
Date: 01/06/2012 01:22 PM
Subject: Dimock sp bull

I made only one addition to the bulletin attached. Lora is reworking the health implications portion for each chemical and will forward soon (send to Rupert Lora).

[attachment "DRAFT Dimock_Special_Bulletin_A.docx" deleted by Richard Rupert/R3/USEPA/US]

- DRAFT Dimock_Special_Bulletin_A-rr.docx